発信人 日本国特許庁 (国際調査機関)

	10.11.24		
出願人代理人			
早瀬 憲一			
様 あて名	n o T		
〒 532−0003	PCT 国際調査機関の見解書 (法施行規則第40条の2)		
大阪府大阪市淀川区宮原3丁目4番30号 ニッセイ新大阪ビル13階 早瀬特許事務所	(日本地域の2)		
	発送日 (日. 月. 年) 22.11. 2004		
出願人又は代理人 の書類記号 P35685-P0	今後の手続きについては、下記2を参照すること。		
国際出願番号 国際出願日 PCT/JP2004/011791 (日.月.年) 11.	優先日 08.2004 (日.月.年) 11.08.2003		
国際特許分類(IPC) Int.Cl ⁷ H04N5/44			
出願人(氏名又は名称) 松下電器産業株式会社			
1. この見解書は次の内容を含む。 X 第 I 欄 見解の基礎 第 I 欄 優先権 第 I 欄 優先権 第 I 欄 優先権 1 日			
□ 第Ⅲ欄 新規性、進歩性又は産業上の利用可能 □ 第Ⅳ欄 発明の単一性の欠如	性についての見解の不作成		
X 第V欄 PCT規則43の2.1(a)(i)に規定する第 それを裏付けるための文献及び説明	所規性、進歩性又は産業上の利用可能性についての見解、		
第Ⅵ欄 ある種の引用文献第Ⅶ欄 国際出願の不備			
第1位欄 国際出願に対する意見			
2. 今後の手続き 国際予備審査の請求がされた場合は、出願人がこの国際調査 際予備審査機関がPCT規則66.1の2(b)の規定に基づいて国 ない旨を国際事務局に通知していた場合を除いて、この見解	際調査機関の見解書を国際予備審査機関の見解書とみなさ		
この見解書が上記のように国際予備審査機関の見解書とみなら3月又は優先日から22月のうちいずれか遅く満了する期な場合は補正書とともに、答弁書を提出することができる。	される場合、様式PCT/ISA/220を送付した日か I限が経過するまでに、出願人は国際予備審査機関に、適当		
さらなる選択肢は、様式PCT/ISA/220を参照する	こと。		
3. さらなる詳細は、様式PCT/ISA/220の備考を参照	すること。		

 名称及びあて先
 特許庁審査官(権限のある職員)
 5P 8725

 日本国特許庁(ISA/JP)
 菅原 道晴

 郵便番号100-8915
 電話番号 03-3581-1101 内線 3580

第I欄 見解の基礎					
1. この見解書は、下	記に示す場合を除くほか、国際出願の言語を基礎として作成された。				
□ この見解書は、					
それは国際調3	をのために提出されたPCT規則12.3及び23.1(b)にいう翻訳文の言語である。				
2. この国際出願で開示されかつ請求の範囲に係る発明に不可欠なヌクレオチド又はアミノ酸配列に関して、 以下に基づき見解書を作成した。					
a. タイプ	配列表				
	■ 配列表に関連するテーブル				
b. フォーマット					
	コンピュータ読み取り可能な形式				
c.提出時期	出願時の国際出願に含まれる				
	この国際出願と共にコンピュータ読み取り可能な形式により提出された				
	出願後に、調査のために、この国際調査機関に提出された				
	表又は配列表に関連するテーブルを提出した場合に、出願後に提出した配列若しくは追加して提出し 時に提出した配列と同一である旨、又は、出願時の開示を超える事項を含まない旨の陳述書の提出が				
あった。					
4. 補足意見:					
•					

第V欄 新規性、進歩性又は産業上の利用可能性についてのPCT規則43の2.1(a)(i)に定める見解、 それを裏付る文献及び説明

1. 見解

 新規性(N)
 請求の範囲
 2,4-6,9,11-14
 有

 請求の範囲
 1,3,7,8,10,15,16
 無

 進歩性(IS)
 請求の範囲
 2,4-6,9,11-14
 有

 請求の範囲
 1,3,7,8,10,15,16
 無

 産業上の利用可能性(IA)
 請求の範囲
 1-16
 有

 産業上の利用可能性(IA)
 請求の範囲
 1-16
 有

2. 文献及び説明

文献1: JP 2002-185874 A (株式会社東芝) 2002.06.28、

4頁6欄34行~5頁7欄5行、4頁5欄40~49行(ファミリーなし)

文献2: JP 2001-309248 A(キヤノン株式会社)2001.11.02、

2頁2欄38行~3頁3欄15行(ファミリーなし)

請求の範囲1、3、15について

文献1の4頁6欄34行~5頁7欄5行には、電源「入」「切」のIEEE1394コマンドに応答するアナログ映像信号の検出により自動設定を行うことが記載されており、その一例として映像信号の同期信号の検出を行うことが例示されている。しかし、アナログ映像信号の検出として、端子電圧の状態を検出することは周知であることに鑑みれば、請求の範囲1には新規性・進歩性は認められない。

文献2の2頁2欄38行~3頁3欄15行には、外部端子上の電圧レベルの変化により、通信状態か否かを検出することが示されており、上記周知性を裏付けるものである。

請求の範囲7、8、10、16について

外部機器を周知のHDMI端子を介してデジタルラインにて接続することは普通に行われていることであり、文献1のアナログラインに代えてデジタルラインにて外部機器を接続するようにすることは、適宜採用し得ることに過ぎない。

請求の範囲2、4-6、9、11-14について

いずれの文献にも、各外部機器毎に特性のことなるコマンドを送信することにより、全ての 外部機器に対して一度に接続設定を行うようにすることは、記載も示唆もされていなく、自明 ではない。

TRANSLATION of related part of Form PCT/ISA/237

PATENT COOPERATION TREATY

From Japanese Patent Office (INTERNATIONAL SEARCH AUTHORITY)

To: HAYASE, Kenichi			PCT	
HAYASE & CO. 13F, NISSAY SHIN-OSAK 3-4-30, Miyahara, Yoo Osaka-shi, Osaka 532-	logawa-ku,	WRITTI	EN OPINION OF THE ISA (PCT Rule 43bis)	
		Date of Mailing 22	November 2004	
Applicant's or agent's file reference P35685-P0		See item 2 below	for the subsequent procedure	
International application No.	International filing da	te	Priority date	
PCT/JP2004/011791	11 Augu	st 2004 11 August 2003		
International Patent Classification (IPC) or na		H04N5/44		
Applicant Matsushi	ta Electric	Industrial C	o., Ltd.	
 This opinion contains indications relating to the following items: I ⋈ Basis of the opinion II □ Priority III □ Non-establishment of report with regard to novelty, inventive step or industrial applicability IV □ Lack of unity of invention V ⋈ Reasoned statement under Rule 43,2.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI □ Certain documents cited VI □ Certain defects in the international application VII □ Certain observations on the international application 				
OMISSION(2 and 3)				
Date of completion of this opinion 05 November 2004				
Name and mailing address of the ISA/JP Japanese Patent Of	ffice	Authorized officer		
•		Telephone No.		

TRANSLATION of related part of Form PCT/ISA/237

WRITTEN OPINION OF THE ISA

International application No. PCT/JP2004/011791

I . Basis of the opinion
1. This opinion has been drawn on the basis of the language of international application, unless otherwise indicated below.
OMISSION(2, 3, and 4)

TRANSLATION of related part of Form PCT/ISA/237

WRITTEN OPINION OF THE ISA

International application No. PCT/JP2004/011791

V Reasoned statement under Rule 43,2.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. STATEMENT

Novelty (N)	Claims 2,4-6,9,11-14	YES
	Claims 1,3,7,8,10,15,16	NO
Inventive Step(IS)	Claims 2,4-6,9,11-14	YES
	Claims 1,3,7,8,10,15,16	NO
Industrial Applicability (IA)	Claims 1-16	YES
	Claims NONE	NO

2. CITATIONS AND EXPLANATIONS

Reference 1: JP 2002-185874 A (Toshiba Corporation) 2002.06.28, page 4, column 6, line 34 \sim page 5, column 7, line 5, and page 4, column 5, lines $40\sim49$ (no family)

Reference 2: JP 2001-309248 A (Canon Inc.) 2001.11.02, page 2, column 2, line 38 \sim page 3, column 3, line 15 (no family)

Claims 1, 3, 15

Reference 1 describes, in page 4, column 6, line $34 \sim \text{page} 5$, column 7, line 5, that automatic setting is carried out by detecting an analog video signal that responds to an IEEE1394 command of power "ON"/"OFF", and detection of a sync signal of the video signal is exemplified. However, considering that detection of the state of terminal voltage is well known as detection of an analog video signal, neither novelty nor inventive step is recognized in Claim 1.

Reference 2 describes, in page 2, column 2, line $38 \sim \text{page 3}$, column 3, line 15, that whether the device is in the communication state or not is determined by detecting change in the voltage level at an external terminal, and this ensures the above-mentioned publicity.

Claims 7, 8, 10, 16

It is commonly carried out to connect an external device by a digital line through a well-known HDMI terminal, and therefore, it is merely an arbitrarily adaptable technique to connect an external device by a digital line instead of an analog line of Reference 1.

Claims 2, 4-6, 9, 11-14

Any of the references neither discloses nor suggests that connection settings to all external devices are performed at one time by sending commands of different characteristics to the respective external devices, and therefore, it is not obvious.